

# inlabru: Bayesian spatial and spatio-temporal modelling in R


Finn Lindgren

[finn.lindgren@ed.ac.uk](mailto:finn.lindgren@ed.ac.uk)




Newcastle, 9 February 2024

# Sparse spatial coverage of temperature measurements




Regional observations:  $\approx 20,000,000$  from daily timeseries over 160 years

# SPDE/GMRF realisations and non-stationary models




$$(\kappa^2 - \nabla \cdot \nabla)u(s) = \mathcal{W}(s), \quad s \in D$$

# SPDE/GMRF realisations and non-stationary models



$$(\kappa^2 - \nabla \cdot \nabla) u(s) = \mathcal{W}(s), \quad s \in D = \mathbb{S}^2$$

Markov does *not* mean that dependence is only local



$$(\kappa(s)^2 - \nabla \cdot \mathbf{H}(s)\nabla)u(s) = \kappa(s)\mathcal{W}(s), \quad s \in \Omega$$

# Hierarchical models

## Continuous Markovian spatial models (Lindgren et al, 2011)

Local basis:  $u(s) = \sum_k \psi_k(s) u_k$ , (compact, piecewise linear)

Basis weights:  $\mathbf{u} \sim N(\mathbf{0}, \mathbf{Q}^{-1})$ , sparse  $\mathbf{Q}$  based on an SPDE

Special case:  $(\kappa^2 - \nabla \cdot \nabla)u(s) = \mathcal{W}(s)$ ,  $s \in \Omega$

Precision:  $\mathbf{Q} = \kappa^4 \mathbf{C} + 2\kappa^2 \mathbf{G} + \mathbf{G}_2$  ( $\kappa^4 + 2\kappa^2 |\omega|^2 + |\omega|^4$ )

## Conditional distribution in a jointly Gaussian model





$\mathbf{u} \sim N(\boldsymbol{\mu}_u, \mathbf{Q}_u^{-1})$ ,  $\mathbf{y}|\mathbf{u} \sim N(A\mathbf{u}, \mathbf{Q}_{y|u}^{-1})$  ( $A_{ij} = \psi_j(s_i)$ )

$\mathbf{u}|\mathbf{y} \sim N(\boldsymbol{\mu}_{u|y}, \mathbf{Q}_{u|y}^{-1})$

$\mathbf{Q}_{u|y} = \mathbf{Q}_u + \mathbf{A}^T \mathbf{Q}_{y|u} \mathbf{A}$  ( $\sim$ "Sparse iff  $\psi_k$  have compact support")

$\boldsymbol{\mu}_{u|y} = \boldsymbol{\mu}_u + \mathbf{Q}_{u|y}^{-1} \mathbf{A}^T \mathbf{Q}_{y|u} (\mathbf{y} - \mathbf{A}\boldsymbol{\mu}_u)$

# Example: 2D georeferenced data



# Software history

- **GMRFLib** (C library, early 2000s) Efficient GMRF computation
- **inla** (C program, mid-late 2000s) Integrated Nested Laplace Approximation, built on GMRFLib.  
Major method/memory/speed updates in ca 2022 and more expected in 2024.
- **INLA** (R package, late 2000s) R interface to **inla**.
- SPDE models added to INLA (2010/11)
  - Proper fractional SPDEs in **rSPDE** (2021–23)
  - Non-separable SPDEs in **INLAspacetime** (2022/23)
- **excursions** (2012/14) Joint credibility regions for contours and excursion sets
- **inlabru** (R package, ca 2015-2017) Improved and extended model specification interface  
Major internal code refactoring 2018-2022, including **sf/terra** support.
- **fmesher** (C++ library 2010, R package 2023) Extracting and unifying the internal support functions from INLA for mesh building, geographical coordinate system transformation, function space handling, and finite element calculations
- **MetricGraph** (2023) Whittle-Matérn fields on metric graphs
- **fdmr** (R package, 2023) Interface and tools on top of **inlabru/R-INLA**

# Software history

- **GMRFLib** (C library, early 2000s) Efficient GMRF computation
- **inla** (C program, mid-late 2000s) Integrated Nested Laplace Approximation, built on GMRFLib.  
Major method/memory/speed updates in ca 2022 and more expected in 2024.
- **INLA** (R package, late 2000s) R interface to **inla**.
- SPDE models added to INLA (2010/11)
  - Proper fractional SPDEs in **rSPDE** (2021–23)
  - Non-separable SPDEs in **INLAspacetime** (2022/23)
- **excursions** (2012/14) Joint credibility regions for contours and excursion sets
- **inlabru** (R package, ca 2015-2017) Improved and extended model specification interface  
Major internal code refactoring 2018-2022, including **sf/terra** support.
- **fmesher** (C++ library 2010, R package 2023) Extracting and unifying the internal support functions from INLA for mesh building, geographical coordinate system transformation, function space handling, and finite element calculations
- **MetricGraph** (2023) Whittle-Matérn fields on metric graphs
- **fdmr** (R package, 2023) Interface and tools on top of **inlabru/R-INLA**

# Software history

- **GMRFLib** (C library, early 2000s) Efficient GMRF computation
- **inla** (C program, mid-late 2000s) Integrated Nested Laplace Approximation, built on GMRFLib.  
Major method/memory/speed updates in ca 2022 and more expected in 2024.
- **INLA** (R package, late 2000s) R interface to **inla**.
- SPDE models added to INLA (2010/11)
  - Proper fractional SPDEs in **rSPDE** (2021–23)
  - Non-separable SPDEs in **INLAspacetime** (2022/23)
- **excursions** (2012/14) Joint credibility regions for contours and excursion sets
- **inlabru** (R package, ca 2015-2017) Improved and extended model specification interface  
Major internal code refactoring 2018-2022, including **sf/terra** support.
- **fmesher** (C++ library 2010, R package 2023) Extracting and unifying the internal support functions from INLA for mesh building, geographical coordinate system transformation, function space handling, and finite element calculations
- **MetricGraph** (2023) Whittle-Matérn fields on metric graphs
- **fdmr** (R package, 2023) Interface and tools on top of **inlabru/R-INLA**

# Software history

- **GMRFLib** (C library, early 2000s) Efficient GMRF computation
- **inla** (C program, mid-late 2000s) Integrated Nested Laplace Approximation, built on GMRFLib.  
Major method/memory/speed updates in ca 2022 and more expected in 2024.
- **INLA** (R package, late 2000s) R interface to **inla**.
- SPDE models added to INLA (2010/11)
  - Proper fractional SPDEs in **rSPDE** (2021–23)
  - Non-separable SPDEs in **INLAspacetime** (2022/23)
- **excursions** (2012/14) Joint credibility regions for contours and excursion sets
- **inlabru** (R package, ca 2015-2017) Improved and extended model specification interface  
Major internal code refactoring 2018-2022, including **sf/terra** support.
- **fmesher** (C++ library 2010, R package 2023) Extracting and unifying the internal support functions from INLA for mesh building, geographical coordinate system transformation, function space handling, and finite element calculations
- **MetricGraph** (2023) Whittle-Matérn fields on metric graphs
- **fdmr** (R package, 2023) Interface and tools on top of **inlabru/R-INLA**

# Software history

- **GMRFLib** (C library, early 2000s) Efficient GMRF computation
- **inla** (C program, mid-late 2000s) Integrated Nested Laplace Approximation, built on GMRFLib.  
Major method/memory/speed updates in ca 2022 and more expected in 2024.
- **INLA** (R package, late 2000s) R interface to **inla**.
- SPDE models added to INLA (2010/11)
  - Proper fractional SPDEs in **rSPDE** (2021–23)
  - Non-separable SPDEs in **INLAspacetime** (2022/23)
- **excursions** (2012/14) Joint credibility regions for contours and excursion sets
- **inlabru** (R package, ca 2015-2017) Improved and extended model specification interface  
Major internal code refactoring 2018-2022, including **sf/terra** support.
- **fmesher** (C++ library 2010, R package 2023) Extracting and unifying the internal support functions from INLA for mesh building, geographical coordinate system transformation, function space handling, and finite element calculations
- **MetricGraph** (2023) Whittle-Matérn fields on metric graphs
- **fdmr** (R package, 2023) Interface and tools on top of **inlabru/R-INLA**

# Software history

- **GMRFLib** (C library, early 2000s) Efficient GMRF computation
- **inla** (C program, mid-late 2000s) Integrated Nested Laplace Approximation, built on GMRFLib.  
Major method/memory/speed updates in ca 2022 and more expected in 2024.
- **INLA** (R package, late 2000s) R interface to **inla**.
- SPDE models added to INLA (2010/11)
  - Proper fractional SPDEs in **rSPDE** (2021–23)
  - Non-separable SPDEs in **INLAspacetime** (2022/23)
- **excursions** (2012/14) Joint credibility regions for contours and excursion sets
- **inlabru** (R package, ca 2015-2017) Improved and extended model specification interface  
Major internal code refactoring 2018-2022, including **sf/terra** support.
- **fmesher** (C++ library 2010, R package 2023) Extracting and unifying the internal support functions from INLA for mesh building, geographical coordinate system transformation, function space handling, and finite element calculations
- **MetricGraph** (2023) Whittle-Matérn fields on metric graphs
- **fdmr** (R package, 2023) Interface and tools on top of **inlabru/R-INLA**

# Software history

- **GMRFLib** (C library, early 2000s) Efficient GMRF computation
- **inla** (C program, mid-late 2000s) Integrated Nested Laplace Approximation, built on GMRFLib.  
Major method/memory/speed updates in ca 2022 and more expected in 2024.
- **INLA** (R package, late 2000s) R interface to **inla**.
- SPDE models added to INLA (2010/11)
  - Proper fractional SPDEs in **rSPDE** (2021–23)
  - Non-separable SPDEs in **INLAspacetime** (2022/23)
- **excursions** (2012/14) Joint credibility regions for contours and excursion sets
- **inlabru** (R package, ca 2015-2017) Improved and extended model specification interface  
Major internal code refactoring 2018-2022, including **sf/terra** support.
- **fmesher** (C++ library 2010, R package 2023) Extracting and unifying the internal support functions from INLA for mesh building, geographical coordinate system transformation, function space handling, and finite element calculations
- **MetricGraph** (2023) Whittle-Matérn fields on metric graphs
- **fdmr** (R package, 2023) Interface and tools on top of **inlabru/R-INLA**

# Software history

- **GMRFLib** (C library, early 2000s) Efficient GMRF computation
- **inla** (C program, mid-late 2000s) Integrated Nested Laplace Approximation, built on GMRFLib.  
Major method/memory/speed updates in ca 2022 and more expected in 2024.
- **INLA** (R package, late 2000s) R interface to **inla**.
- SPDE models added to INLA (2010/11)
  - Proper fractional SPDEs in **rSPDE** (2021–23)
  - Non-separable SPDEs in **INLAspacetime** (2022/23)
- **excursions** (2012/14) Joint credibility regions for contours and excursion sets
- **inlabru** (R package, ca 2015-2017) Improved and extended model specification interface  
Major internal code refactoring 2018-2022, including **sf/terra** support.
- **fmesher** (C++ library 2010, R package 2023) Extracting and unifying the internal support functions from INLA for mesh building, geographical coordinate system transformation, function space handling, and finite element calculations
- **MetricGraph** (2023) Whittle-Matérn fields on metric graphs
- **fdmr** (R package, 2023) Interface and tools on top of **inlabru/R-INLA**

# Software history

- **GMRFLib** (C library, early 2000s) Efficient GMRF computation
- **inla** (C program, mid-late 2000s) Integrated Nested Laplace Approximation, built on GMRFLib.  
Major method/memory/speed updates in ca 2022 and more expected in 2024.
- **INLA** (R package, late 2000s) R interface to **inla**.
- SPDE models added to INLA (2010/11)
  - Proper fractional SPDEs in **rSPDE** (2021–23)
  - Non-separable SPDEs in **INLAspacetime** (2022/23)
- **excursions** (2012/14) Joint credibility regions for contours and excursion sets
- **inlabru** (R package, ca 2015-2017) Improved and extended model specification interface  
Major internal code refactoring 2018-2022, including **sf/terra** support.
- **fmesher** (C++ library 2010, R package 2023) Extracting and unifying the internal support functions from INLA for mesh building, geographical coordinate system transformation, function space handling, and finite element calculations
- **MetricGraph** (2023) Whittle-Matérn fields on metric graphs
- **fdmr** (R package, 2023) Interface and tools on top of **inlabru/R-INLA**

# Models in theory and practice

- The class of generalised additive models (GLM/GLMM/GAM/etc) is large
- The R-INLA package implements fast MCMC-free Bayesian inference for latent Gaussian models of GAM type
- R-INLA handles construction of GMRF approximations to SPDE models of Matérn type as well as graph and lattice based models, but more general spatial models can be defined in R code by the user (via `inla.rgeneric.define` and `inla.cgeneric.define`)
- `inlabru` has greatly simplified the specification of complex spatial and spatio-temporal models:
  - Simplify specification of complex latent model components
  - Simplify specification of linked multi-observation models
  - Extend the model class to include mild but non-trivial predictor non-linearities
  - Do this without re-implementing R-INLA from scratch
  - Make the simple things easy, and the complex things possible
  - Goal: make every building block interoperable with every other building block

# Models in theory and practice

- The class of generalised additive models (GLM/GLMM/GAM/etc) is large
- The R-INLA package implements fast MCMC-free Bayesian inference for latent Gaussian models of GAM type
- R-INLA handles construction of GMRF approximations to SPDE models of Matérn type as well as graph and lattice based models, but more general spatial models can be defined in R code by the user (via `inla.rgeneric.define` and `inla.cgeneric.define`)
- `inlabru` has greatly simplified the specification of complex spatial and spatio-temporal models:
  - Simplify specification of complex latent model components
  - Simplify specification of linked multi-observation models
  - Extend the model class to include mild but non-trivial predictor non-linearities
  - Do this without re-implementing R-INLA from scratch
  - Make the simple things easy, and the complex things possible
  - Goal: make every building block interoperable with every other building block

# Latent Gaussian models

## Hierarchical model with latent jointly Gaussian variables

$$\boldsymbol{\theta} \sim p(\boldsymbol{\theta}) \quad (\text{covariance parameters})$$

$$(\mathbf{u} | \boldsymbol{\theta}) \sim \mathcal{N}(\boldsymbol{\mu}_u, \mathbf{Q}_u^{-1}) \quad (\text{latent Gaussian variables})$$

$$(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta}) \sim p(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta}) \quad (\text{observation model})$$

We are interested in the posterior densities  $p(\boldsymbol{\theta} | \mathbf{y})$ ,  $p(\mathbf{u} | \mathbf{y})$  and  $p(u_i | \mathbf{y})$ .

### Approximate conditional posterior distribution

Let  $\hat{\mathbf{u}}(\boldsymbol{\theta})$  be the mode of the posterior density  $p(\mathbf{u} | \mathbf{y}, \boldsymbol{\theta}) \propto p(\mathbf{u} | \boldsymbol{\theta})p(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta})$ . Construct an approximate conditional posterior distribution, via Newton optimisation for  $\mathbf{u}$  given  $\boldsymbol{\theta}$ :

$$p_G(\mathbf{u} | \mathbf{y}, \boldsymbol{\theta}) \sim \mathcal{N}(\hat{\boldsymbol{\mu}}, \hat{\mathbf{Q}}^{-1})$$

$$\mathbf{0} = \nabla_{\mathbf{u}} \{ \ln p(\mathbf{u} | \boldsymbol{\theta}) + \ln p(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta}) \} \Big|_{\mathbf{u}=\hat{\boldsymbol{\mu}}(\boldsymbol{\theta})}$$

$$\hat{\mathbf{Q}} = \mathbf{Q}_u - \nabla_{\mathbf{u}}^2 \ln p(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta}) \Big|_{\mathbf{u}=\hat{\boldsymbol{\mu}}_{\boldsymbol{\theta}}}$$

# Latent Gaussian models

## Hierarchical model with latent jointly Gaussian variables

$$\boldsymbol{\theta} \sim p(\boldsymbol{\theta}) \quad (\text{covariance parameters})$$

$$(\mathbf{u} | \boldsymbol{\theta}) \sim \mathcal{N}(\boldsymbol{\mu}_u, \mathbf{Q}_u^{-1}) \quad (\text{latent Gaussian variables})$$

$$(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta}) \sim p(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta}) \quad (\text{observation model})$$

We are interested in the posterior densities  $p(\boldsymbol{\theta} | \mathbf{y})$ ,  $p(\mathbf{u} | \mathbf{y})$  and  $p(u_i | \mathbf{y})$ .

## Approximate conditional posterior distribution

Let  $\widehat{\mathbf{u}}(\boldsymbol{\theta})$  be the mode of the posterior density  $p(\mathbf{u} | \mathbf{y}, \boldsymbol{\theta}) \propto p(\mathbf{u} | \boldsymbol{\theta})p(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta})$ . Construct an approximate conditional posterior distribution, via Newton optimisation for  $\mathbf{u}$  given  $\boldsymbol{\theta}$ :

$$p_G(\mathbf{u} | \mathbf{y}, \boldsymbol{\theta}) \sim \mathcal{N}(\widehat{\boldsymbol{\mu}}, \widehat{\mathbf{Q}}^{-1})$$

$$\mathbf{0} = \nabla_{\mathbf{u}} \{ \ln p(\mathbf{u} | \boldsymbol{\theta}) + \ln p(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta}) \} \Big|_{\mathbf{u}=\widehat{\boldsymbol{\mu}}(\boldsymbol{\theta})}$$

$$\widehat{\mathbf{Q}} = \mathbf{Q}_u - \nabla_{\mathbf{u}}^2 \ln p(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta}) \Big|_{\mathbf{u}=\widehat{\boldsymbol{\mu}}_{\boldsymbol{\theta}}}$$

# Integrated Nested Laplace Approximation (INLA; Rue, Martino, Chopin, 2009)

- 1 Estimate the posterior mode for  $p(\boldsymbol{\theta} | \mathbf{y})$  by optimisation of the approximation

$$\widehat{p}(\boldsymbol{\theta} | \mathbf{y}) \propto \frac{p(\boldsymbol{\theta}) p(\mathbf{u} | \boldsymbol{\theta}) p(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta})}{p_G(\mathbf{u} | \mathbf{y}, \boldsymbol{\theta})} \Big|_{\mathbf{u}=\widehat{\mu}(\boldsymbol{\theta})}$$

where  $p_G(\mathbf{u} | \mathbf{y}, \boldsymbol{\theta})$  is a Gaussian approximation matching the low order derivatives at the mode  $\widehat{\mu}(\boldsymbol{\theta})$  of the exact conditional log-posterior for  $\mathbf{u}$ . (In a fully Gaussian model this is exact.) This is a Laplace approximation of  $p(\boldsymbol{\theta} | \mathbf{y})$ .

- 2 Numerical integration for the marginal latent variables

- Construct a numerical integration grid/scheme  $(\boldsymbol{\theta}_k, w_k)$  for  $\boldsymbol{\theta}$ , where  $w_k$  are integration weights;
- Construct  $p_{GG}(u_i | \mathbf{y}, \boldsymbol{\theta}_k)$  as Variational Bayes approximations of the marginal conditional posterior densities, integrating out  $\mathbf{u}_{-i} = \{u_j, j \neq i\}$ .
- Combine to form marginal posterior density approximations:

$$\widehat{p}(u_i | \mathbf{y}) = \sum_k p_{GG}(u_i | \mathbf{y}, \boldsymbol{\theta}_k) \widehat{p}(\boldsymbol{\theta}_k | \mathbf{y}) w_k$$

# Integrated Nested Laplace Approximation (INLA; Rue, Martino, Chopin, 2009)

- 1 Estimate the posterior mode for  $p(\boldsymbol{\theta} | \mathbf{y})$  by optimisation of the approximation

$$\widehat{p}(\boldsymbol{\theta} | \mathbf{y}) \propto \frac{p(\boldsymbol{\theta}) p(\mathbf{u} | \boldsymbol{\theta}) p(\mathbf{y} | \mathbf{u}, \boldsymbol{\theta})}{p_G(\mathbf{u} | \mathbf{y}, \boldsymbol{\theta})} \Big|_{\mathbf{u}=\widehat{\mu}(\boldsymbol{\theta})}$$

where  $p_G(\mathbf{u} | \mathbf{y}, \boldsymbol{\theta})$  is a Gaussian approximation matching the low order derivatives at the mode  $\widehat{\mu}(\boldsymbol{\theta})$  of the exact conditional log-posterior for  $\mathbf{u}$ . (In a fully Gaussian model this is exact.) This is a Laplace approximation of  $p(\boldsymbol{\theta} | \mathbf{y})$ .

- 2 Numerical integration for the marginal latent variables

- Construct a numerical integration grid/scheme  $(\boldsymbol{\theta}_k, w_k)$  for  $\boldsymbol{\theta}$ , where  $w_k$  are integration weights;
- Construct  $p_{GG}(u_i | \mathbf{y}, \boldsymbol{\theta}_k)$  as Variational Bayes approximations of the marginal conditional posterior densities, integrating out  $\mathbf{u}_{-i} = \{u_j, j \neq i\}$ .
- Combine to form marginal posterior density approximations:

$$\widehat{p}(u_i | \mathbf{y}) = \sum_k p_{GG}(u_i | \mathbf{y}, \boldsymbol{\theta}_k) \widehat{p}(\boldsymbol{\theta}_k | \mathbf{y}) w_k$$

# inlabru software interface concepts

- Model components are declared similarly to R-INLA:

```
# INLA:  
~ covar + f(name, model = ...)  
# inlabru  
~ covar + name(input, model = ...)  
~ covar # is translated into...  
~ covar(covar, model = "linear")  
~ name(1) # Used for intercept-like components
```

- In R-INLA,  $\eta = \mathbf{A}\mathbf{u} = \mathbf{A}_0 \sum_{k=1}^K \mathbf{A}_k \mathbf{u}_k$ , where the rows of  $\mathbf{A}_k$  only extract individual elements from each  $\mathbf{u}_k$ , and the overall  $\mathbf{A}_0$  is user defined (via `inla.stack()`).
- In inlabru,  $\eta = h(\mathbf{u}_1, \dots, \mathbf{u}_K, \mathbf{A}_1\mathbf{u}_1, \dots, \mathbf{A}_K\mathbf{u}_K)$ , where  $h(\cdot)$  is a general R expression of named latent components  $\mathbf{u}_k$  and intermediate "effects"  $\mathbf{A}_k\mathbf{u}_k$
- $\mathbf{A}_k$  by default acts either as in R-INLA, or is determined by a *mapper* method. Predefined default mappers include e.g. spatial evaluation of SPDE/GRMF models that map between coordinates and meshes, and mappers that combine other mappers (used to combine main/group/replicate for all components)

# Input mappers

- Each named component has main/group/replicate *inputs*, that are given to the mappers to evaluate  $\mathbf{A}_k$ . For a given latent *state*, the resulting *effect* values are made available to the predictor expression.

```
bru_get_mapper() # Obtain default mapper for a model object  
bru_mapper_index(n) # Basic index mapping  
bru_mapper_linear() # Basic linear mapping  
bru_mapper_matrix(labels) # Basic linear multivariable mapping  
bru_mapper_factor(values, factor_mapping) # Factor variable mapping  
bru_mapper_multi(mappers) # Kronecker product components  
bru_mapper_collect(mappers, hidden) # For concatenated components, like bym  
  
bru_mapper_const() # Constants  
bru_mapper_scale() # Fixed scaling  
bru_mapper_marginal() # Marginal distribution transformation  
bru_mapper_aggregate()/logsumexp() # Weighted block-wise sum or log-sum-exp  
bru_mapper_pipe() # Composition of mappers  
  
bru_mapper.fm_mesh_2d(mesh) # 2D and spherical mesh mappings  
bru_mapper.fm_mesh_1d(mesh) # Interval and cyclic interval mappings
```

## ■ Model component definition examples:

```
comp <- ~ -1 + field(cbind(easting, northing), model = spde) + param(1) # Raw data  
comp <- ~ -1 + field(geometry, model = spde) + param(1) # sf data
```

## ■ Predictor formula examples, including naming of the response variable:

```
form1 <- my_counts ~ param + field  
form2 <- response ~ exp(param) + exp(field)
```

## ■ Main method call structure:

```
bru(components = comp,  
      like(formula = form1, family = "poisson", data = data1),  
      like(formula = form2, family = "normal", data = data2))
```

## ■ Simplified notations for common special cases;

`formula = response ~ .`

gives the full additive model of all the available components, or

`components = response ~ Intercept(1) + field(...)`

# Plain INLA code for a separable space-time model

```
matern <- inla.spde2.pcmatern(mesh, ...)

field_A <- inla.spde.make.A(mesh,
                           st_coordinates(data),
                           group = data$year - min(data$year) + 1,
                           n.group = 10)
stk <- inla.stack(data = list(response = data$response),
                   A = list(field_A, 1),
                   effects = list(field_index, list(covar = data$covar)))

formula <- response ~ 1 + covar +
  f(field, model = matern, group = field_group, control.group = ...)

fit <- inla(formula = formula,
            data = inla.stack.data(stk, matern = matern),
            family = "normal",
            control.predictor = list(A = inla.stack.A(stk)))
```

# inlabru code for a separable space-time model

```
matern <- inla.spde2.pcmatern(mesh, ...)

year_mapper <- bru_mapper(fm_mesh_1d(sort(unique(data$year))), indexed = TRUE)

comp <- ~
  Intercept(1) +
  covar +
  field(geometry,
        model = matern,
        group = year, group_mapper = year_mapper, control.group = ...)

fit <- bru(components = comp,
            like(response ~ .,
                  data = data,
                  family = "normal"))
```

# inlabru code for a non-separable space-time model


```
model <- INLAspacetime::stModel.define(...)

comp <- ~
  Intercept(1) +
  covar +
  field(list(space = geometry, time = year),
        model = model)

fit <- bru(components = comp,
            like(response ~ .,
                  data = data,
                  family = "normal"))
```

## Example: Thinned Poisson point processes

We want to model the presence of groups of dolphins using a Log-Gaussian Cox Process (LGCP). However, when surveying dolphins (points) from a ship travelling along lines (transects), the probability of detecting a group of animals depends their distance from the ship.



## Example: Thinned Poisson point processes

We want to model the presence of groups of dolphins using a Log-Gaussian Cox Process (LGCP). However, when surveying dolphins from a ship travelling along lines (*transects*), the probability of detecting a group of animals depends their distance from the ship, e.g. via

$$P(\text{detection}) = 1 - \exp \left[ - \left( \frac{\sigma}{\text{distance}} \right)^\xi \right] \quad (\text{hazard rate model})$$

This results in a *thinned* Poisson process model on (space, distance) along the transects:

$$\log(\lambda(s, \text{distance})) = \text{Intercept} + \text{field}(s) + \log [P(\text{detection at } s \mid \text{distance}, \sigma, \xi)] + \log(2)$$

inlabru knows how to construct the Poisson process likelihood along lines and on polygons, and kronecker spaces (line  $\times$  distance)

We can define  $\sigma$  and  $\xi$  as transformed  $N(0, 1)$  variables and iteratively linearise. The non-linearity is mild, and the iterative INLA method converges.

## Example: Thinned Poisson point processes

We want to model the presence of groups of dolphins using a Log-Gaussian Cox Process (LGCP)

However, when surveying dolphins from a ship travelling along lines (*transects*), the probability of detecting a group of animals depends their distance from the ship, e.g. via

$$P(\text{detection}) = 1 - \exp \left[ - \left( \frac{\sigma}{\text{distance}} \right)^\xi \right] \quad (\text{hazard rate model})$$

This results in a *thinned* Poisson process model on `(space, distance)` along the transects:

$$\log(\lambda(s, \text{distance})) = \text{Intercept} + \text{field}(s) + \log [P(\text{detection at } s \mid \text{distance}, \sigma, \xi)] + \log(2)$$

inlabru knows how to construct the Poisson process likelihood along lines and on polygons, and kronecker spaces (line  $\times$  distance)

We can define  $\sigma$  and  $\xi$  as transformed  $N(0, 1)$  variables and iteratively linearise. The non-linearity is mild, and the iterative INLA method converges.



```
log_det_prob <- function(distance, sigma, xi) {  
  log1p(-exp(-(sigma / distance)^xi))  
}  
  
comp <- ~ field(geometry, model = matern) +  
  sigmainv(1, prec.linear = 1, marginal = bru_mapper_marginal(qexp, rate = 1)) +  
  xi(1, prec.linear = 1, marginal = bru_mapper_marginal(qgamma, shape = 20, rate = 20)) +  
  Intercept(1)  
form <- geometry + distance ~  
  Intercept + field + log_det_prob(distance, 1/sigmainv, xi) + log(2)  
  
fit <- bru(  
  components = comp,  
  like(  
    family = "cp", formula = form,  
    data = points, # sfc_POINT  
    samplers = transects, # sfc_LINESTRING  
    domain = list(  
      geometry = mesh,  
      distance = fm_mesh_1d(seq(0, 8, length.out = 30)))  
)
```

# Posterior prediction method

```
pred_points <- fm_pixels(mesh, dims = c(200, 100), mask = region_of_interest)
pred <- predict(fit, pred_points, ~ exp(field + Intercept))

det_prob <- function(distance, sigma, xi) { 1 - exp(-(sigma / distance)^xi) }
pred_dist <- data.frame(distance = seq(0, 8, length.out = 100))
det_prob <- predict(fit, pred_dist, ~ det_prob(distance, 1/sigmainv, xi))
```

```
ggplot() + gg(pred, geom = "tile") + gg(transects) + gg(region_of_interest) + ...
```



## Data level prediction

47 groups were seen. How many would be seen along the transects under perfect detection?

```
predpts_transect <- fm_int(mesh, transects)
Lambda_transect <- predict(fit, predpts_transect,
                           ~ 16 * sum(weight * exp(field + Intercept)))
```

mean	sd	q0.025	q0.5	q0.975	median	mean.mc_std_err	sd.mc_std_err
91.15876	26.46627	51.37564	85.567	145.231	85.567	2.646627	1.7456


How many would be seen under perfect detection across the whole study area?

```
predpts <- fm_int(mesh, samplers = region_of_interest)
Lambda <- predict(fit, predpts, ~ sum(weight * exp(field + Intercept)))
```


mean	sd	q0.025	q0.5	q0.975	median	mean.mc_std_err	sd.mc_std_err
319.58	92.41475	177.3311	309.5392	508.2446	309.5392	9.241475	8.561235

# Integration points


Line integration



Area integration



Computational mesh




# Complex prediction expressions

What's the predictive distribution of group counts?


```
Ns <- seq(50, 650, by = 1)
Nest <- predict(
  fit,
  predpts,
  ~ data.frame(
    N = Ns,
    density = dpois(Ns, lambda = sum(weight * exp(field + Intercept)))
  ),
  n.samples = 2500
)

Nest$plugin_estimate <- dpois(Nest$N, lambda = Lambda$mean)
```

# Full posterior prediction uncertainty vs plugin prediction



# Animal movement



# Step selection analysis with telemetry data

Goal: Understand sequential movement decisions

- The general movement capacity of an animal. Expressed by a movement kernel:

$$K(\mathbf{y}_t | \mathbf{y}_{t-1}, \mathbf{y}_{t-2}, \boldsymbol{\theta}) = K_{\text{length}}(\mathbf{y}_t | \mathbf{y}_{t-1}, \boldsymbol{\theta}) K_{\text{angle}}(\mathbf{y}_t | \mathbf{y}_{t-1}, \mathbf{y}_{t-2}, \boldsymbol{\theta}), \quad \mathbf{y}_t \in \mathcal{D} \subset \mathbb{R}^2$$

- Selection behaviour of the animal. Modelled by a resource selection function (RSF):

$$\xi(\mathbf{s}) = \exp[\eta(\mathbf{s})] = \exp[\beta_1 X_1(\mathbf{s}) + \dots + \beta_p X_p(\mathbf{s}) + u(\mathbf{s})], \quad \mathbf{s} \in \mathcal{D}$$

Spatially (or spatio-temporally) varying covariates  $\mathbf{X}$ . and a residual random field  $u(\mathbf{s})$ .

- Combined normalised conditional observation density function:

$$f_{t|< t}(\mathbf{y}_t | \boldsymbol{\theta}, \eta) = \frac{K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{y}_t)]}{\int_{\mathcal{D}} K(\mathbf{s} | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{s})] d\mathbf{s}}$$

# Step selection analysis with telemetry data

Goal: Understand sequential movement decisions

- The general movement capacity of an animal. Expressed by a movement kernel:

$$K(\mathbf{y}_t | \mathbf{y}_{t-1}, \mathbf{y}_{t-2}, \boldsymbol{\theta}) = K_{\text{length}}(\mathbf{y}_t | \mathbf{y}_{t-1}, \boldsymbol{\theta}) K_{\text{angle}}(\mathbf{y}_t | \mathbf{y}_{t-1}, \mathbf{y}_{t-2}, \boldsymbol{\theta}), \quad \mathbf{y}_t \in \mathcal{D} \subset \mathbb{R}^2$$

- Selection behaviour of the animal. Modelled by a resource selection function (RSF):

$$\xi(\mathbf{s}) = \exp[\eta(\mathbf{s})] = \exp[\beta_1 X_1(\mathbf{s}) + \dots + \beta_p X_p(\mathbf{s}) + u(\mathbf{s})], \quad \mathbf{s} \in \mathcal{D}$$

Spatially (or spatio-temporally) varying covariates  $\mathbf{X}$ . and a residual random field  $u(\mathbf{s})$ .

- Combined normalised conditional observation density function:

$$f_{t|< t}(\mathbf{y}_t | \boldsymbol{\theta}, \eta) = \frac{K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{y}_t)]}{\int_{\mathcal{D}} K(\mathbf{s} | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{s})] d\mathbf{s}}$$

# Step selection analysis with telemetry data

Goal: Understand sequential movement decisions

- The general movement capacity of an animal. Expressed by a movement kernel:

$$K(\mathbf{y}_t | \mathbf{y}_{t-1}, \mathbf{y}_{t-2}, \boldsymbol{\theta}) = K_{\text{length}}(\mathbf{y}_t | \mathbf{y}_{t-1}, \boldsymbol{\theta}) K_{\text{angle}}(\mathbf{y}_t | \mathbf{y}_{t-1}, \mathbf{y}_{t-2}, \boldsymbol{\theta}), \quad \mathbf{y}_t \in \mathcal{D} \subset \mathbb{R}^2$$

- Selection behaviour of the animal. Modelled by a resource selection function (RSF):

$$\xi(\mathbf{s}) = \exp[\eta(\mathbf{s})] = \exp[\beta_1 X_1(\mathbf{s}) + \dots + \beta_p X_p(\mathbf{s}) + u(\mathbf{s})], \quad \mathbf{s} \in \mathcal{D}$$


Spatially (or spatio-temporally) varying covariates  $\mathbf{X}$ . and a residual random field  $u(\mathbf{s})$ .

- Combined normalised conditional observation density function:

$$f_{t|< t}(\mathbf{y}_t | \boldsymbol{\theta}, \eta) = \frac{K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{y}_t)]}{\int_{\mathcal{D}} K(\mathbf{s} | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{s})] d\mathbf{s}}$$


# Movement kernel

Movement capacity of an animal:




# Resource selection function

Spatial features in the study area:




# Combined effect


Intensity function



Movement decision!




# From movement kernel to discretised point process likelihood



$$f_{t|<t}(\mathbf{y}_t | \boldsymbol{\theta}, \eta) = \frac{K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{y}_t)]}{\int_{\mathcal{D}} K(\mathbf{s} | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{s})] d\mathbf{s}}$$

Problem: Inconvenient normalisation integral.

# From movement kernel to discretised point process likelihood




$$f_{t|<t}(\mathbf{y}_t | \boldsymbol{\theta}, \eta) = \frac{K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{y}_t)]}{\int_{\mathcal{D}} K(\mathbf{s} | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{s})] d\mathbf{s}}$$

Previous approach: Subdivide space into disjoint sets  $B_k$ , with  $\mathcal{D} = \cup_{k=1}^N B_k$ .

$$\mathbf{z}_t = [\mathbb{I}(\mathbf{y}_t \in B_1), \dots, \mathbb{I}(\mathbf{y}_t \in B_N)] \sim \text{Multinomial}(1, \{p_k, k = 1, \dots, N\})$$

$$p_k = P(\mathbf{y}_t \in B_k | \mathbf{y}_{<t}, \boldsymbol{\theta}, \eta) = \int_{B_k} f_{t|<t}(\mathbf{s} | \boldsymbol{\theta}, \eta) d\mathbf{s} \quad (\text{No improvement: multiple integrals})$$

# From movement kernel to discretised point process likelihood



$$\lambda_t(\mathbf{y}_t | \boldsymbol{\theta}, \eta, a_t) = K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{y}_t) + a_t], \quad a_t \sim \text{Unif}(\mathbb{R})$$


$$l(\{\mathbf{y}_t\} | \boldsymbol{\theta}, \eta, \{a_t\}) = - \sum_t \int_{\mathcal{D}} \lambda_t(\mathbf{s} | \boldsymbol{\theta}, \eta, a_t) d\mathbf{s} + \sum_t \log \lambda_t(\mathbf{y}_t | \boldsymbol{\theta}, \eta, a_t)$$

Non-homogeneous Poisson point process with a single point observation for each  $t$ .

$a_t$  replaces the explicit density normalisation by estimating it.

The posterior distribution for  $\boldsymbol{\theta}$ ,  $\beta_.$ , and  $u(\cdot)$  is unchanged!

# From movement kernel to discretised point process likelihood




$$\lambda_t(\mathbf{y}_t | \boldsymbol{\theta}, \eta, a_t) = K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta}) \exp[\eta(\mathbf{y}_t) + a_t], \quad a_t \sim \text{Unif}(\mathbb{R})$$

$$l(\{\mathbf{y}_t\} | \boldsymbol{\theta}, \eta, \{a_t\}) \approx - \sum_t \sum_k \lambda_t(\mathbf{s}_k | \boldsymbol{\theta}, \eta, a_t) w_k + \sum_t \log \lambda_t(\mathbf{y}_t | \boldsymbol{\theta}, \eta, a_t)$$

Integration points and weights  $(\mathbf{s}_k, w_k)$ , adapted to the spatial model resolution.

# From movement kernel to discretised point process likelihood




$$\log \bar{\lambda}(\mathbf{y}_t | \boldsymbol{\theta}, \eta, a_t) = \log K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta}_0) + \frac{d \log K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta})}{d\boldsymbol{\theta}} (\boldsymbol{\theta} - \boldsymbol{\theta}_0) + \eta(\mathbf{y}_t) + a_t$$

$$l(\{\mathbf{y}_t\} | \boldsymbol{\theta}, \eta, \{a_t\}) = - \sum_t \int_{\mathcal{D}} \bar{\lambda}_t(\mathbf{s} | \boldsymbol{\theta}, \eta, a_t) d\mathbf{s} + \sum_t \log \bar{\lambda}_t(\mathbf{y}_t | \boldsymbol{\theta}, \eta, a_t)$$

(Iterative) linearisation to a log-linear point process intensity allows more general movement kernel parameterisation.

(Preliminary theory: posterior approximation related to Fisher scoring)

# From movement kernel to discretised point process likelihood



$$\log \bar{\lambda}(\mathbf{y}_t | \boldsymbol{\theta}, \eta, a_t) = \log K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta}_0) + \frac{d \log K(\mathbf{y}_t | \mathbf{y}_{<t}, \boldsymbol{\theta})}{d\boldsymbol{\theta}} (\boldsymbol{\theta} - \boldsymbol{\theta}_0) + \eta(\mathbf{y}_t) + a_t$$


$$l(\{\mathbf{y}_t\} | \boldsymbol{\theta}, \eta, \{a_t\}) \approx - \sum_t \sum_k \bar{\lambda}_t(s_k | \boldsymbol{\theta}, \eta, a_t) w_k + \sum_t \log \bar{\lambda}_t(\mathbf{y}_t | \boldsymbol{\theta}, \eta, a_t)$$

This is *almost* a log-linear Poisson count log-likelihood;

In  $-\mathcal{E}\lambda + y \log(\mathcal{E}\lambda)$ , R-INLA allows us to specify the two terms separately, without pairing them up with equal  $\mathcal{E}$  and  $\lambda$  values.


# Mesh, integration points and weights

- Restricted domain of availability at each time point: Disk with radius (at least) equal to the maximum observed step length
- Integration points: At mesh nodes to ensure stability
- Deterministic integration: Previous Monte Carlo strategies are inefficient and unstable



# Estimated log-intensity function


Contributions to the linear predictor



The Gaussian random field (GF) contribution improves the estimated animal density.

# Estimated Gaussian random field (GF)

Comparison of the true GF, the estimated mean and a sample GF



Posterior samples can be used to quantify uncertainty of the fields and linear/nonlinear functionals of the fields.

Note: Recall that conditional means are fundamentally smoother than conditional realisations!

# General aggregation modelling

- Misaligned and aggregated data can be handled by modelling on a continuous domain and linking each observation model into that (with Luisa Parkinson, Man Ho Suen, Andy Seaton, Elias Krainski)
- Related work (with Christopher Merchant and Xue Wang):  
Multi-band satellite data with nadir and oblique views, with non-rectangular "pixels":

$$E(\text{measured}(\text{pixel}, \text{band})) = \left( \frac{1}{|D_{\text{pixel}}|} \int_{D_{\text{pixel}}} \text{conversion}[\text{SST}(s), \text{TCWV}(s), \text{band}]^b ds \right)^{1/b}$$

- Both SST and TCWV are unknown spatial fields and  $b$  is an unknown parameter
- `conversion` is a function evaluated on a grid of SST and TCWV for each frequency band

```
components <- ~ SST(geometry, ...) + TCWV(geometry, ...) + b(...)
integ <- fm_int(domain = list(geometry = mesh, band = seq_len(n_bands)),
                  samplers = observed_polygons_and_bands)
agg <- bru_mapper_aggregate(rescale = TRUE)
formula <- measured ~ ibm_eval(agg, list(block = .block, weights = weight),
                                conversion(SST, TCWV, band)^b)^(1/b)
```

# Extensions and projects in progress

- (w Francesco Serafini and Mark Naylor) ETAS.inlabru for temporal Hawkes processes for earthquake forecasting; self-exciting Poisson processes with  $\lambda(s, t) = \mu(s, t, u) + \sum_{i; t_i < t} h(s - s_i, t - t_i, u)$  which is not log-linear.
- (w Elias Krainski) Extending the supported set of R-INLA models (survival models, etc)
- Copulas and transformation models; Version 2.9.0+ supports inbuilt marginal transformation of  $N(0, 1)$  components into fixed non-Gaussians: effect =  $F^{-1}[\Phi(u); \theta]$

```
comp <- ~ field(geometry, model = matern) + Intercept(1) +
  sigma(1, prec.linear = 1, marginal = bru_mapper_marginal(qexp, rate = 1/8))
form <- geometry + distance ~
  Intercept + field + log_det_prob(distance, sigma) + log(2)
```

Experimental example for more general transformation models (likely supported from 2.11.0):

```
comp <- ~ Intercept(1) + field(geometry, model = matern) +
  field2(geometry, model = "iid", hyper=list(prec=list(initial = 0, fixed = TRUE)))
marg <- bru_mapper_marginal(qexp)
form <- ... ~ ... +
  ibm_eval(marg, input = list(rate = exp(Intercept + field)), state = field2)
```

# Summary

- INLA and inlabru allows a wide variety of generalisations of GAMs to be specified
- Whether the model and data form a well-posed problem and/or has any relation to reality is the user's responsibility.
- The software may help diagnose some issues;
  - Posterior prediction and model assessment
  - How accurate are the linearised posteriors? Future diagnostic metric:

$$\mathbb{E}_{\boldsymbol{u} \sim \bar{p}(\boldsymbol{u}|\boldsymbol{y})} \left( \log \left( \frac{\bar{p}(\boldsymbol{u}|\boldsymbol{y}, \boldsymbol{\theta})}{\tilde{p}(\boldsymbol{u}|\boldsymbol{y}, \boldsymbol{\theta})} \right) \right)$$

- Optimization convergence plots (`bru_convergence_plot()`) and log output (`bru_log()`)
- Detection of unintended incorrect user input

# References

- Fabian E. Bachl, Finn Lindgren, David L. Borchers, and Janine B. Illian (2019)  
*inlabru: an R package for Bayesian spatial modelling from ecological survey data*,  
Methods in Ecology and Evolution, 10(6):760–766.  
<https://doi.org/10.1111/2041-210X.13168>
- The INLA package; <https://www.r-inla.org>
- CRAN packages: `inlabru`, `fmesher`, `INLAspacetime`, `rSPDE`, `excursions`
- Online documentation:  
<https://inlabru-org.github.io/inlabru/>  
<https://inlabru-org.github.io/fmesher/>
- Package development, bug fixes, specific problem discussion pages:  
<https://github.com/inlabru-org/inlabru/>  
<https://github.com/inlabru-org/fmesher/>
- `inlabru`: The Scottish INLA interface

